

Available online at www.sciencedirect.com



Journal of Molecular Catalysis A: Chemical 223 (2004) 321-328



www.elsevier.com/locate/molcata

Cerium fluoride supported V₂O₅ catalysts: physico-chemical characterization and 3-picoline ammoxidation activity

K.V. Narayana^b, B. David Raju^a, S. Khaja Masthan^a, V. Venkat Rao^a, P. Kanta Rao^a, A. Martin^{b,*}

^a Catalysis and Physical Chemistry Division, Indian Institute of Chemical Technology, Hyderabad 500007, India ^b Institute fur Angewandte Chemie, Berlin Adlershof e.V., Richard-Willstatter-Str. 12, D-12489 Berlin, Germany

Received 12 March 2003; received in revised form 19 January 2004; accepted 1 February 2004 Available online 18 September 2004

Abstract

 V_2O_5 /CeF₃ catalysts with 2.4–15.2 wt.% of V_2O_5 were prepared by wet impregnation method. The catalysts were characterized by BET surface area and pore size distribution, powder X-ray diffraction and FT-IR. It was found that the formation of Cerium Vanadate (CeVO₄) occurs during the stages of the catalyst preparation. The X-ray diffraction studies of the catalysts revealed the presence of crystalline CeVO₄ phase. The lines due to CeVO₄ phase were found to increase in intensity with the increase in amount (wt.%) of V_2O_5 in the catalysts. The FT-IR investigation also showed the formation of CeVO₄ phase with increasing loadings of V_2O_5 . The shift of pore-size distribution to lower pore range and increased pore volume confirmed the formation of CeVO₄ structure in the catalysts. The catalytic activity for the ammoxidation of 3-picoline to nicotinonitrile on V_2O_5 /CeF₃ catalysts as a function of V_2O_5 loading on CeF₃ has been studied. The continuous increase of CeVO₄ with V_2O_5 loadings is responsible for the higher ammoxidation activity of the V_2O_5/CeF_3 catalysts. © 2004 Elsevier B.V. All rights reserved.

Keywords: V2O5/CeF3 catalysts; CeVO4; Ammoxidation; 3-Picoline; Nicotinonitrile.

1. Introduction

It is well known that the TiO₂, Al₂O₃, SiO₂, SnO₂ and ZrO₂ are conventional supports for the V₂O₅ catalysts for oxidation and ammoxidation reactions such as selective oxidation of *o*-xylene to phthalic anhydride [1,2], ammoxidation of propane to acrylonitrile [3–5], methyl benzenes to corresponding benzonitriles [6,7], methyl pyrazine to cyano pyrazines [8] and methyl pyridines to corresponding cyano pyridines [9–11]. Due to stringent environmental legislations more active and selective catalysts are being sought. Hence, deep insight in to selection of compatible catalysts and supports is one of the research goals of the topic. As on today, V₂O₅-based catalysts are of prime importance in the oxidation as well as ammoxidation of light paraffins,

olefins and aromatics as shown recently by Grasselli in a review on advances and future trends in selective oxidation and ammoxidation catalysis [12]. Zhang et al. [13] have prepared and used CeF₃ supported rare earth oxide catalysts, CeO₂/CeF₃, La₂O₃/4CeF₃ and Sm₂O₃/4CeF₃ for oxidative dehydrogenation of propane. Zhang et al. [14] have also prepared a highly active multivalent anion modified complex catalyst, $Y_2O_3 + CeF_3$ and evaluated for selective oxidative dehydrogenation of isobutane to isobutene. Sichkar et al. [15] have found that CeF₃ is a better support for Pd in hydrogenation of 1-heptene than NaF, CaF2, MgF2, BaF2 and AlF₃, etc. CeF₃ was also used as a support for preparing highly dispersed Au catalysts with Au particle size <10 nm for oxidation reactions [16]. As it is evident from the literature that the fluoride supported V_2O_5 catalysts are active and selective for the ammoxidation reactions [17–20], CeF₃ has judicially been selected as the support for the V₂O₅ catalysts for the ammoxidation of 3-picoline.

^{*} Corresponding author. Tel.: +49 30 6392 4306; fax: +49 30 6392 4350. *E-mail address:* a.martin@aca-berlin.de (A. Martin).

^{1381-1169/\$ –} see front matter @ 2004 Elsevier B.V. All rights reserved. doi:10.1016/j.molcata.2004.02.033

Results of our recent study [9] on the CeO_2 as a catalyst for ammoxidation of picolines and the documented literature [13–20] have prompted us to explore whether CeF_3 can be used as a novel support for vanadia catalysts and further investigate their physico-chemical characteristics and ammoxidation activity for 3-picoline.

In the present study, we communicate the preparation of cerium fluoride supported V_2O_5 catalysts and their physico-chemical characterization in support of CeVO₄ formation. The catalytic performance of these catalysts for the vapor phase ammoxidation of 3-picoline to nicotinon-itrile has also been described as a preliminary investigation.

2. Experimental

2.1. Catalyst preparation

CeF₃ supported vanadia catalysts containing 2.4– 15.2 wt.% V₂O₅ content were prepared by wet impregnation technique using required amounts of ammonium metavanadate (Aldrich) dissolved in oxalic acid solution to impregnate CeF₃. The excess water in the impregnated samples was evaporated to dryness on a water bath, oven dried at 120 °C for 16 h and finally calcined at 450 °C for 6 h.

2.2. Atomic absorption spectrometer

The vanadium contents in the catalysts were estimated by using Perkin-Elmer-2380 Atomic Absorption Spectrometer. The catalyst samples were decomposed in aquaregia and the resultant solution was diluted with double distilled water to known concentrations.

2.3. Pore size distribution measurements

Measurements for specific surface areas and pore size distributions of the catalysts were made using Quantachrome, Autoscan-92 Porosimeter (U.S.A) by taking 300–500 mg of sample. Accurate data acquisition was made with on line computer analysis.

2.4. Powder X-ray diffraction studies

X-ray diffraction patterns of V_2O_5/CeF_3 catalysts were recorded on a Philips PW-1140 X-ray diffractometer using Ni filtered Cu K α radiation. In this technique a fixed wave length is chosen for the incident radiation and Bragg peaks are measured by observing the intensity of the scattered radiation as a function of scattering angle of 2θ , the inter planar distances or *d*-spacings are calculated and compared the data with the available ASTM cards to identify the phase composition in the catalysts.

2.5. FT-IR studies

FT-IR spectra of the catalysts were recorded on Nicolet-740 FT-IR spectrometer. Self-supporting discs of the catalysts were prepared with KBr by applying pressure. These discs were used for recording FT-IR spectra.

2.6. BET-analysis

BET surface areas of the catalysts were estimated using an all glass high vacuum system capable of attaining pressures as low as 10^{-6} Torr by the adsorption of N₂ at liquid nitrogen temperature (-196 °C).

2.7. Catalytic activity tests

3-Picoline ammoxidation runs were carried out in a fixed bed micro catalytic reactor. The reactor was built in-house with pyrex glass and heated in an electric furnace with temperatures ranging from 300 to 410 °C. The reaction was performed at an atmospheric pressure with a molar ratio of 3-picoline: H₂O:NH₃:air = 1:13:6:44, at WHSV of 5.33 gmol/h. The organic feed (3-picoline) mixed with water (1:13 molar ratio) was injected by means of an infusion pump. About 2g of catalyst was loaded in the reactor and then reduced in H₂ flow at 450 °C for 2 h. Steady-state conditions were obtained after a few hours of reaction. An activity run was made without catalyst using diluents (glass beads), and found that the 3-picoline has not been converted, ruling out the surface volume reaction. The product stream was collected and analyzed by gas chromatograph, equipped with FID module with a column of 10% OV-17 on chromosorb W. The products were also analyzed and confirmed by GC-MS.

3. Results and discussion

3.1. Catalyst preparation and characterisation

The formation of CeVO₄ compound was found in the calcined catalysts due to the interaction of V2O5 with the cerium atoms of CeF₃ support during the course of the calcination. Several authors have prepared this compound by solid-state reaction of CeO₂ and V_2O_5 in air [21–23]. It has also been reported that CeVO₄ was obtained by the reaction between Ce^{3+} salts or its oxide and V_2O_5 under an inert atmosphere because of the instability of Ce^{3+} in air at high temperatures [24,25]. Several studies regarding the oxidation state of cerium in the CeVO₄ has been reported unambiguously it is as Ce^{3+} [25–29]. CeVO₄ crystallizes in a tetragonal zircon (ZrSiO₄) type structure [30] and it is a p-type semiconductor [25,31,32]. The studies of Abi-Aad et al. revealed the $Ce^{3+}-V^{4+}$ segregates formation when treated at 800 °C and their concentration became significant after a reduction treatment under hydrogen flow [33].

Table 1 Variation of surface area and pore volume with V_2O_5 loading on \mbox{CeF}_3 support

Catalyst V ₂ O ₅ (wt.%) ^a	Surface area ^b $(m^2 g^{-1})$	Surface area ^c $(m^2 g^{-1})$	Pore volume ^c $(cm^3 g^{-1})$
2.4	26.0	19.5	0.223
5.4	25.0	17.8	0.307
7.8	23.4	15.8	0.318
10.7	19.3	11.3	0.319
15.2	19.1	12.2	0.293
Pure CeF ₃	33.9	29.0	0.410
Pure V_2O_5	6.0	-	-

^a Estimated by atomic absorption spectrometer.

^b Surface area by BET method.

^c Surface area and pore volume by mercury penetration method.

3.2. Catalyst characterization

3.2.1. Surface area and pore size distribution studies

Surface areas estimated by both BET and mercury porosimetric methods are compiled in Table 1. The surface areas estimated by mercury porosimetric method are fewer than that of BET method, which may be due to unestimated micropore surface areas of the catalysts by mercury porosimetric method. The BET surface area of pure CeF₃ is $33.9 \text{ m}^2 \text{ g}^{-1}$, which has continuously been decreasing with increased V₂O₅ loading, which may be due to blockage of pore mouths. Similar decreasing trend with increase in V₂O₅ loading has also been observed in both the surface area determination methods.

The pore volume distributions of V₂O₅/CeF₃ catalysts are presented in Fig. 1. Pure CeF₃ has a surface area of $33.9 \text{ m}^2 \text{ g}^{-1}$ and pore volume of 0.41 cm³ g⁻¹. This material has a narrow pore volume distribution in the pore radius range from 6 nm to 12 nm, the highest pore volume distribution occurring at the dominant pore radius of 8 nm (Fig. 1).

Pore volume distribution curves of the catalyst reveal that V_2O_5 loading has highly pronounced effect on the pore-size distribution of these catalysts. When 2.4–7.8 wt.% V_2O_5 is deposited on CeF₃, the resulting catalysts are observed to exhibit pore volume distribution in the pore radius range form 10 nm to 20 nm, which is entirely different from the pore volume distribution from 6 nm to 12 nm of pure CeF₃. When V_2O_5 loading has been increased to 10.7 wt.%, the pore volume distribution shifts further to the higher pore radius range from 12 nm to 50 nm. When V_2O_5 content of the



Fig. 1. Pore size distribution curves of V_2O_5/CeF_3 catalysts with different V_2O_5 loadings: (a) 2.4 wt.%, (b) 5.4 wt.%, (c) 7.8 wt.%, (d) 10.7 wt.%, (e) 15.2 wt.%, (f) pure CeF_3.

catalysts is further increased to 15.2 wt.% the pore volume distribution is observed to shift to lower pore radius range, 9–20 nm. The variations in the pore size distributions of the catalysts are reflected in the change of total pore volumes with variations in V₂O₅ loading. Pore volume increases from 0.223 to 0.319 cm³ g⁻¹ when the V₂O₅ content is increased from 2.4 to 10.7 wt.% due to increase in pore size. When V₂O₅ content is further increased to 15.2 wt.%, the pore volume is reduced to 0.293 cm³ g⁻¹ due to decrease in pore size. The total surface areas and the total pore volumes of pure CeF₃ and V₂O₅/CeF₃ catalysts are given below in Table 1.

The pore volume distributions of pure CeF₃ and the catalysts clearly reveal that these materials have pore structures in very narrow pore radius range. The contributions of individual pores to the total pore volume and surface area of the catalysts go on decreasing with increase in V_2O_5 loading. V_2O_5 /CeF₃ catalysts have exhibited a unimodel distribution of pore sizes.

When V₂O₅ reacts with CeF₃ support to form the compound CeVO₄ the bonds of cerium atom to other atoms in CeF₃ are broken and the isolated CeVO₄ molecules form tiny crystallites. V₂O₅ might have reacted with and removed the surface layer or even sub-surface layer of cerium atoms and thus bring about an increase in the radii of the pores of the catalyst. This explains the shift of the pore-volume spectra of the catalysts to higher pore radius range till the V_2O_5 loading reaches 10.34 wt.% (Fig. 1). When V₂O₅ loading is increased to 15.2 wt.%, the pore volume distribution shifts to lower pore radius range from 9 nm to 20 nm. This shift of pore-size distribution to lower pore range is occurring due to decrease in the pore size as a result of formation of almost a close packed layer of CeVO₄ compound on the walls of cylindrical pores. The dominant pore-size distribution of 15.2 wt.% V₂O₅ catalyst is around 13 nm.

3.2.2. X-ray diffraction

The X-ray diffractograms of fresh and used V_2O_5/CeF_3 catalysts are presented in Figs. 2 and 3 respectively. The X-ray diffractograms of the fresh catalysts contain moderately



Fig. 2. X-ray diffractograms of V_2O_5/CeF_3 calcined catalysts with different V_2O_5 loadings: (a) 2.4 wt.%, (b) 5.4 wt.%, (c) 7.8 wt.%, (d) 10.7 wt.%, (e) 15.2 wt.%.



Fig. 3. X-ray diffractograms of V_2O_5/CeF_3 used catalysts with different V_2O_5 loadings: (a^I) 2.4 wt.%, (b^I) 5.4 wt.%, (c^I) 7.8 wt.%, (d^I) 10.7 wt.%, (e^I) 15.2 wt.%.

intense XRD peaks with characteristic d-values of 3.20, 2.01, 2.06, 1.81, 3.64, 3.58 and 1.75 Å belonging to the crystal planes (111), (113), (300), (302), (002), (110) and (221) of CeF₃ support (ASTM card no: 8-45). The intensity of the XRD peaks of CeF₃ support has remained more or less the same with increase in V2O5 loading from 2.4 to 15.2 wt.% (Fig. 2). This observation suggests that the surface of the support is not getting covered progressively with increasing V₂O₅ content of the catalysts. The XRD patterns of 2.4 wt.% V₂O₅ catalyst exhibited very weak peaks of the compound, CeVO₄ (d = 2.76 and 2.57 Å). Very weak XRD peaks with d-values of 3.70 and 2.76 Å belonging to crystal planes (200) and (112) of CeVO₄ phase appear in the catalyst with 5.4 wt.% V₂O₅. The intensity of the XRD peaks of CeVO₄ with *d*-values of 3.70, 2.76 and 1.90 Å belonging to crystal planes (200), (112) and (312) (ASTM card No: 12-751) increases gradually with increase in V2O5 loading up to 15.2 wt.%. One can visualize an interesting phenomenon occurring on the catalyst surface as a result of interaction of increasing V_2O_5 content with atoms on the surface of CeF₃ support. Deposited V₂O₅ is interacting with the surface of the support generating CeVO₄ species which agglomerate to form CeVO₄ crystallites and the crystallanity of these species is increasing with increase in V₂O₅ loading. Absence of XRD peaks of any of the oxides of vanadium in the diffractograms of these catalysts upto 10.7 wt % V₂O₅ indicates that entire V₂O₅ has interacted with the cerium atoms of the support to form CeVO₄ species. The CeVO₄ species might have segregated and crystallized. The exposed CeF₃ support appears to have more open structure with CeF3 in lower layers being exposed. A shift in the pore size distribution and an increase in pore volume has been observed with increase in V2O5 loading of the catalysts, which would lend support to the above explanation. The interaction of vanadia would have occurred not only with surface Ce atoms but also with Ce atoms in the sub-surface layers of the CeF₃ support. When the V_2O_5 content has been increased to 15.2 wt.% traces of free V_2O_5 have been identified in the X-ray diffractogram of the catalyst.

Careful examination of the results of the X-ray diffraction studies of the used V_2O_5/CeF_3 catalysts would reveal that the surface characteristics of the catalysts have been drastically modified during the course of ammoxidation reaction of 3-picoline (Fig. 2). The most striking feature of the Xray diffractograms of used catalysts is that they contain the XRD peaks of support which are much more intense than the corresponding peaks in the diffractograms of fresh catalysts (Fig. 3)

The X-ray diffractogram of used 2.4 wt.% V₂O₅/CeF₃ catalyst contains the most intense XRD peaks with *d*-values of 3.20, 2.01, 2.06, 3.64, 3.58, 1.81, 1.75 and 2.55 Å belonging to the crystal planes of (1 1 1), (1 1 3) (3 0 0), (0 0 2), (1 1 0), (3 0 2), (2 2 1), and (1 1 2) of the support CeF₃ (curvea). When V₂O₅ loading is increased to 5.4 wt.% the intensity of the CeF₃ XRD peak has decreased and a weak XRD peak with a *d*-value of 4.89 Å belonging to CeVO₄ phase appears in addition to the XRD peaks of the support (curve-b). When the V₂O₅ loading is increased to 15.2 wt.% the intensity of XRD peaks of the support, CeF₃ is reduced gradually while the intensity of XRD peaks of CeVO₄ phase (*d* = 3.70, 4.89, 2.76 and 1.90 Å) has increased further (curves c–e).

The changes in surface characteristics of the used V_2O_5/CeF_3 catalysts can be attributed to modifications that occur in the surface structure of these catalysts under the severe reaction conditions. These results suggest that under the influence of water vapor, basic molecules and oxygen, the surface CeVO₄ species would have diffused on the surface of the catalysts, coalesced and segregated into bigger CeVO₄ crystallites. When this has happened these species leave a large surface decreases with increasing V_2O_5 content of the catalysts. This explains the decreasing intensities of the support XRD peaks and the increasing intensities of the peaks of CeVO₄ crystallites in the used catalysts (Fig. 3).

Consequently the structural modification and surface reconstruction accompanying catalysis on the support might have occurred to a greater extent in low V₂O₅ catalysts and this accounts for the higher intensities of XRD peaks of low V₂O₅ catalysts (Fig. 2). The observed results of XRD studies of V₂O₅/CeF₃ catalysts seem to be reasonable and valid as the phenomenon of surface modification and reconstruction during adsorption and catalysis is well established [34,35].

3.2.3. FT-IR studies

The FT-IR spectra of the fresh and used V₂O₅/CeF₃ catalysts are given in Figs. 4 and 5 respectively. It is evident that the bands occurring at 3429, 2914, 2837, 2330, $1611-1639 \text{ cm}^{-1}$ and $773-801 \text{ cm}^{-1}$ are common in the spectra of both fresh and used catalysts. The band at $1724-1731 \text{ cm}^{-1}$ is present in the spectra of used catalysts with V₂O₅ loading from 2.4 to 5.4 wt.% and in the spectra of all the fresh catalysts. The band at 3196 cm^{-1} is present Fig. 4. FT-IR spectra of V_2O_5/CeF_3 calcined catalysts with different V_2O_5 loadings: (a) 2.4 wt.%, (b) 5.4 wt.%, (c) 7.8 wt.%, (d) 10.7 wt.%, (e) 15.2 wt.%.

in the spectra of used catalysts at and above $7.8 \ wt.\% \ V_2O_5$ loading. The band at $1386-1407 \ cm^{-1}$ appears in the spectra of all the used catalysts. The band at $1006 \ cm^{-1}$ is occurring in the spectra of fresh catalysts at and above $7.8 \ wt.\% \ V_2O_5$ content.

The band at 780–802 cm⁻¹ is weak in the spectrum of 2.4 wt.% V₂O₅ catalyst (Figs. 4 and 5). Its intensity has abruptly increased when the V₂O₅ loading is increased to 5.4 wt.% and persists in the spectra of all the catalysts. A band at 780 cm⁻¹ is also found in the spectrum of pure CeF₃ (spectrum not shown here). The increase in the intensity of the band at 780–802 cm⁻¹ with addition of 5.4 wt.% V₂O₅ may be ascribed to the formation of CeVO₄ by the interaction of V₂O₅ with CeF₃. Wachs et al. [36,37] have assigned the laser Raman band at 805 cm⁻¹ to the stretching vibrations of V–Ce–O species formed on V₂O₅/CeO₂ catalysts.

The three bands occurring at 3429 cm^{-1} , 2927 cm^{-1} and 2837 cm^{-1} appearing in the spectra of all the catalysts can be attributed to strongly adsorbed water on the surface of CeF₃ support. The spectrum of pure CeF₃ is found to contain highly intense bands at 2927 cm⁻¹ and 2837 cm⁻¹. These bands are highly suppressed when 2.4 wt.% V₂O₅ is deposited on the



e



Fig. 5. FT-IR spectra of V_2O_5/CeF_3 used catalysts with different V_2O_5 loadings: (a¹) 2.4 wt.%, (b¹) 5.4 wt.%, (c¹) 7.8 wt.%, (d¹) 10.7 wt.%, (e¹) 15.2 wt.%.

CeF₃ support and exists with very low intensities in the spectra of all the catalysts. The intensity of the broad band at 3429 cm^{-1} and the intensity of the narrow band at 2337 cm^{-1} have increased upto 7.8 wt.% V₂O₅ and decreased above this loading. However, the intensity of the bands at 2927 cm⁻¹ and 2837 cm⁻¹ has continuously increased with V₂O₅ loading of the fresh (calcined) catalysts (Fig. 4). The band at $1611-1639 \text{ cm}^{-1}$ that exists on the surface of all the fresh catalysts may be assigned to deformation vibrations of strongly adsorbed water [38,39]. The band at 1006 cm^{-1} can be attributed to asymmetric stretching vibrations of V=O bonds and the intensity of this peak increases with increase in V₂O₅ loading from 7.8 wt.% to 15.2 wt.%.

The intensity of the band at 3429 cm^{-1} increases when the V₂O₅ loading is increased from 2.4 wt.% to 5.4 wt.% and decreases above this loading in the spectra of used catalysts (Fig. 5) indicating decrease in OH group concentration on the surface of the used catalysts. The intensity of the band at 1618 cm⁻¹ decreases with increase in V₂O₅ loading. The band at 1386–1407 cm⁻¹ increase in intensity continuously with V₂O₅ loading. This band and the band at 3196 cm⁻¹ in the spectra of used catalysts with 7.8, 10.7 and 15.2 wt.% V₂O₅ loading may belong to adsorbed NH₄⁺ ions [20]. The narrow band at 2330 cm⁻¹ is prominent in the spectra of fresh catalysts (Fig. 4) and become weak in the spectra of used catalyst (Fig. 5).

3.3. Catalytic activity studies

Ammoxidation of 3-picoline over all V₂O₅/CeF₃ catalysts at different temperatures ranging from 300 to 410 °C at atmospheric pressure in the vapor phase at the mole ratio of 3-picoline:H₂O:NH₃:air = 1:13:6:44 (W/F = 5.33 gh/mole) produced mainly nicotinonitrile along with small quantities of pyridine, CO_x and a trace amount of pyridine amide.

Pyridine and CO_x are produced directly from 3-picoline by oxidative demethylation or via nicotinonitrile and pyridine amide, in which nicotinonitrile gets converted in to pyridine amide by acid hydrolysis, hydrolysis of pyridine amide leads to the production of pyridine and CO_r at the applied reaction conditions on the surface of the V2O5/CeF3 catalysts (Scheme 1). In order to find out the major reactant for the formation pyridine and CO_x by-products in the system an experiment was conducted mixing the 3-picoline, nicotinonitrile, pyridine amide and water in accordance with the molar ratios of reaction effluents under similar reaction conditions and observed only a trace amounts of pyridine and CO_x , which clearly indicates that the demethylated products are mainly from 3-picoline by oxidative demethylation. There is a striking balance (1:1 mole ratio) between the formed pyridine and CO_x , which is an indication of CO_x production, is only from the methyl group of 3-picoline, not from the total oxidation of 3-picoline (Scheme 1). Bondareva et al. [8] put similar observation forward in the ammoxidation of 2-methylpyrazine over V-Ti oxide system.

Nicotinonitrile is the ammoxidation product of 3-picoline, in which one molecule of 3-picoline and one molecule of ammonia, and one half dioxygens are consumed for the production of one molecule of nicotinonitrile and three molecules of H₂O, which indicates that the ammoxidation of 3-picoline is a six-electron redox process. It is reported that the ammoxidation of methyl aromatics or methyl heteroaromatics starts from the H-abstraction from the methyl group and forms a methylene-like (benzyl) species, which converts in to benzaldimine (R-CH2=NH) intermediate either by dehydrogenation of intermediately generated benzylamine (R-CH₂-NH₂ produced from benzyl species) or by dehydration of ammonia condensed-benzaldehyde [6,40]. Busca et al. reported that the nitrile could also be formed from benzaldehyde intermediate by its oxidation to corresponding acid with subsequent acid amide (R-CONH₂) formation and dehydration [41].

3.3.1. Influence of V_2O_5 loading on the ammoxidation activity

The influence of V_2O_5 loading on 3-picoline conversion, the yield of nicotinonitrile and the pyridine over V_2O_5/CeF_3 catalysts is depicted in Fig. 6. The conversion and the yield of nicotinonitrile have continuously been increasing with V_2O_5



Scheme 1. Reaction pathways of 3-picoline over V2O5/CeF3 catalysts.

loading, whereas the yield of pyridine has shown decreasing trend. The conversion at 2.4 wt.% V₂O₅ loading is 57.9% and it attained a maximum value of 89.18% at 15.2 wt.% V₂O₅ loading. The yield of nicotinonitrile is 37.87% at 2.4 wt.%, which has steadily been increased to 81.92% as the loading of V₂O₅ increased to 15.2 wt.%. The yield of pyridine decreased from 10.13 to 3.63% as the loading of V₂O₅ increased from 2.4 to 15.2 wt.%, similar trend has also been observed in the case of CO_x yield.

The increase in the selective ammoxidation activity of the catalysts with increase in V_2O_5 loading can be attributed to the formation of more active phase, CeVO₄. X-ray diffraction study of these catalysts has detected the formation of CeVO₄ phase in the catalysts (Fig. 2). The intensity of the XRD peaks of CeVO₄ phase is found to increase with increase in V_2O_5 loading. These results show that selective ammoxidation of 3-picoline may be occurring to a greater extent on CeVO₄ phase.

Pyridine formation is due to demethylation, which normally takes place on the acidic sites of the catalysts; since CeF_3 is a strong Lewis acid its contribution towards dealkylation is inevitable at lower loadings. The progressive coverage of V_2O_5 on the surface of CeF₃ decreased pyridine yields.

The formation of $CeVO_4$ phase modifies the base V_2O_5/CeF_3 composition. The modification in general will have both electronic as well as structural consequences, but



Fig. 6. Influence of V_2O_5 loading on 3-picoline conversion and yields of nicotinonitrile pyridine, CO_x and others.

in the present case Ce³⁺ species exists leaving V⁵⁺ species in the CeVO₄ phase [25,31]. Hence, isolation of V–O moieties by interposing of CeVO₄ phase between V–O–V chains (site isolation at work) may be responsible for the high yields of nicotinonitrile at higher loadings of V₂O₅ on CeF₃ support. Roussel et al. [42] reported that at higher loadings of Fe in the Fe_{1-x} SbV_xO₄ structure, Fe substitutes V³⁺ by creating a vacancy which enhanced the selectivity to acrylonitrile in the ammoxidation of propane by isolating the active vanadia site and they also reported that the Fe³⁺/Fe²⁺ couple was not directly involved in the reaction mechanism but that Fe intervenes by changing the relative valence state of vanadium and the cationic and anionic assessment in the structure.

3.3.2. Influence of reaction temperature on the activity over $15.2 \text{ wt.}\% \text{ V}_2O_5/\text{CeF}_3$ catalyst

Temperature is found to have highly pronounced effect on 3-picoline conversion and the yield of nicotinonitrile and pyridine (Fig. 7). The increase in selective 3-picoline ammoxidation activity and the increase in pyridine yield with temperature can be ascribed to the increase in the intrinsic activity of the active sites on the CeVO₄ phase and the acidic sites on the bare surface of the support, respectively. At 410 °C, the catalyst has shown 84.78% nicotinonitrile and 5.13% pyridine yield respectively at a 3-picoline conversion of 91.3%.



Fig. 7. Effect of reaction temperature on 3-picoline conversion and the yields of nicotinonitrile, pyridine, CO_x and others.

4. Conclusions

It is concluded that the non-conventional CeF₃ supported V_2O_5 catalysts exhibit high conversions and selectivities in the ammoxidation of 3-picoline to nicotinonitrile. This high performance of these catalysts is ascribed to the formation of CeVO₄ species during the catalyst preparation. The results of our preliminary investigation gives an impression that highly reactive V_2O_5/CeF_3 or CeVO₄-based ammoxidation catalysts can be prepared.

Acknowledgement

K.V. Narayana, one of the authors, expresses his grateful thanks to CSIR, New Delhi for the award of senior research fellowship.

References

- M.S. Wainwright, N.R. Foster, Catal. Rev. Sci. Eng. 19 (1979) 211.
- [2] V. Nicolov, D. Klissurski, A. Anastasov, Catal. Rev. Sci. Eng. 33 (1991) 1.
- [3] R. Catani, G. Centi, F. Trifiro, R. Grasselli, Indus. Eng. Chem. Res. 31 (1992) 107.
- [4] T. Ushikubo, K. Oshima, A. Kayou, M. Vaarkamp, M. Hatano, J. Catal. 169 (1997) 394.
- [5] T. Shishido, T. Konishi, I. Matsuura, Y. Wang, K. Takaki, K. Takehira, Catal. Today 71 (2001) 77.
- [6] A. Martin, B. Lucke, Catal. Today 57 (2000) 61.
- [7] R.G. Rizayev, E.A. Mamendov, V.P. Vislovski, V.E. Sheinin, Appl. Catal. A 83 (1992) 103.
- [8] V.M. Bondareva, T.V. Andrushkevich, O.B. Lapina, Catal. Today (2000) 173.
- [9] P. Kanta Rao, K.S. Rama Rao, S. Khaja Masthan, K.V. Narayana, T. Rajiah, V. Venkat Rao, Appl. Catal. A 163 (1997) 123.
- [10] K.V. Narayana, A. Venugopal, K.S. Rama Rao, V. Venkat Rao, S. Khaja Masthan, P. Kanta Rao, Appl. Catal. A 150 (1997) 269.
- [11] K.V. Narayana, A. Venugopal, K.S. Rama Rao, S. Khaja Masthan, V. Venkat Rao, P. Kanta Rao, Appl. Catal. A 167 (1998) 11.
- [12] R.K. Grasselli, Catal. Today 49 (1999) 141.

- [13] W. Zhang, H. Wan, Q. Cai, Gaodeng Xuexio Huaxue Xuebao, 14 (1993) 566 (Ch). CA: 120: 7956w.
- [14] W. Zhang, D. Tang, X. Zhou, H. Wan, K.R. Tsai, J. Chem. Soc., Chem. Commun. (1994) 771.
- [15] E.V. Sichkar, Yu.M. Bondarev, L.F. Komolova, V.V. Nikitin, Yu.S. Mardashev, Zh. Fiz. Khim. 59 (1985) 2056 (Russ.).
- [16] G.D. Kazakova, L.F. Komolova, I.V. Razumovskaya, Yu.S. Mardashev, Zh. Fiz. Khim. 57 (1983) 243 (Russ.).
- [17] K.V. Narayana, S. Khaja Masthan, V. Venkat Rao, B. David Raju, P. Kanta Rao, Catal. Commun. 3 (2002) 173.
- [18] K.V. Narayana, B. David Raju, S. Khaja Masthan, V. Venkat Rao, P. Kanta Rao, Catal. Lett. 84 (2002) 27.
- [19] J. Haber, J. Stoch, M. Wojciechowska, Surf. Interf. Anal. 15 (1990) 711.
- [20] J. Haber, M. Wojciechowska, Catal. Lett. 10 (1991) 271.
- [21] J.A. Dumesic, H. Topsoe, S. Khammouma, M. Boudart, J. Catal. 37 (1975) 503.
- [22] G.C. Bond, Acc. Chem. Res. 26 (1993) 490.
- [23] J.M. Jehng, G. Deo, B.M. Weckhyusen, I.E. Wachs, J. Mol. Catal. A 110 (1996) 41.
- [24] I.H. Brixner, E. Abramson, J. Electrochem. Soc. 112 (1965) 70.
- [25] A. Watanabe, J. Solid State Chem. 153 (2000) 174.
- [26] F. Le Normand, J.E. Fallah, L. Hilaire, P. Legare, A. Kotani, J.C. Parlebas, Solid State Commun. 71 (1989) 885.
- [27] A. Kotani, T. Jo, J.C. Parlebas, Adv. Phys. 115 (1988) 16.
- [28] J.Z. Shyu, K. Otto, W.L.H. Watkins, G. Graham, R.K. Belitz, H.S. Gandhi, J. Catal. 114 (1988) 23.
- [29] R. Cousin, M. Dourdin, E. Abi-Aad, D. Courcot, S. Capelle, M. Guelton, A. Aboukais, J. Chem. Soc., Faraday Trans. 93 (1997) 3863.
- [30] N.S. Rao, O.G. Palanna, Bull. Mater. Sci 18 (1995) 593.
- [31] K. Gaur, H.B. Lal, J. Mater. Sci 20 (1985) 3167.
- [32] T. Hirata, A. Watanabe, J. Solid State Chem. 158 (2001) 254.
- [33] E. Abi-Aad, A. Bennani, J.P. Bonnelle, A. Aboukais, J. Chem. Soc., Faraday Trans. 91 (1995) 99.
- [34] W.O. Mulligan, I.W. Vernon, J. Phys. Chem. 56 (1952) 145.
- [35] M. Yoshimura, T. Sata, Bull. Chem. Soc. Jpn. 42 (1969) 3195.
- [36] H. Brusset, F. Madule-Aubry, B. Blanck, J.P. Glaziou, J.P. Laude, Can. J. Chem. 49 (1971) 3700.
- [37] I.E. Wachs, F.D. Hardcastle, S.S. Chan, Spectroscopy 1 (1986) 30.
- [38] G.C. Bond, A.J. Sarkani, G.D. Parfitt, J. Catal. 57 (1979) 476.
- [39] K. Nakamoto, Infrared Spectra of Inorganic and Coordination Compounds, Wiley, New York, London, 1963.
- [40] G. Busca, ACS Symp. Ser. 523 (1993) 168.
- [41] F. Cavani, G. Centi, F. Trifiro, La Chemica and L' Industria. 74 (1992) 182.
- [42] H. Roussel, B. Mehlomakulu, F. Belhadj, E. van Steen, J.M.M. Millet, J. Catal. 205 (2002) 97.